


# STACBOND

Neubau collection



Lago Chiem No. 64,  
Col. Ahuehuetes, Anáhuac  
Alcaldía: Miguel Hidalgo  
C.P. 11320, CDMX  
**5 5554 9621 con 10 líneas**

**DONDE COMPRAR**



more than you see




The colours shown in this document are for guidance purposes only.

# Neubau collection

Singular finishes with polished effects, inspired by highly regarded materials such as corten steel, with the versatility and efficiency of the composite panel with exclusive STACBOND® technology.

Acabados singulares con efecto pulido e inspirados en materiales tan apreciados como el acero corten, con la versatilidad y la eficiencia del panel composite con tecnología exclusiva de STACBOND®.

Des finitions uniques à effet poli, inspirées de matériaux aussi appréciés que l'acier Corten, avec la polyvalence et l'efficacité du panneau composite à technologie exclusive STACBOND®.



A2 & FR cores  
Núcleos A2 y FR  
Noyaux A2 et FR



High resistance to UV rays  
Alta resistencia a rayos UV  
Haute résistance aux rayons UV



Excellent weight/surface value  
Excelente relación peso/superficie  
Excellent rapport poids/surface



Easily conformable  
Fácilmente conformable  
Facilement conforme



Rapid and simple assembly  
Montaje rápido y sencillo  
Montage simple et rapide



Totally recyclable  
Totalmente reciclable  
Totalement recyclable

The STACBOND® panel has an external 5005 and internal 3005/3105 aluminium alloy and is **coated with the highest quality paint** that offers the **highest resistance to ageing**.


The manufacture of STACBOND® composite panel follows a controlled process by way of **rigorous tests and quality controls**.

El panel STACBOND® posee una capa exterior de aluminio de aleación 5005 e interior 3005/3105 y está **lacado con pintura de la más alta calidad**, ofreciendo la **más elevada resistencia al envejecimiento**.

La fabricación del panel composite STACBOND® sigue un proceso controlado mediante **rigurosos ensayos y controles de calidad**.


Le panneau STACBOND® possède une couche en aluminium d'alliage 5000 en face extérieure et 3005/3105 en face intérieure, laqué avec une **peinture de la plus haute qualité**, offrant une résistance plus élevée face au vieillissement.

La fabrication du panneau composite STACBOND® répond à un processus de contrôle rigoureux validé par des **essais et des audits de qualités**.




**Apollo brushed metallic**

STB - B01



**Mercury brushed metallic**

STB - B02



**Discovery brushed metallic**

STB - B03



**Soyuz brushed metallic**

STB - B04



**Ariane brushed metallic**

STB - B05



**Natural brushed**

STB - 449



Trofa Saúde | Hospital | Vila Real, Portugal | STB-449



**Neo corten**

STB - CT1

For a correct appreciation of this finishes on a facade it is recommended to view them from a distance of at least 4 meters (13 ft).  
Para una correcta apreciación de estos acabados en fachada, se recomienda visualizarlos a una distancia mínima de 4 metros.  
Pour une correcte appréciation de ces finitions, il est recommandé de les visualiser à une distance minimale de 4 mètres.

# STACBOND

more than you see

